



WHEELBASE



STANDARD EQUIPMENT

Safety

- Presence sensor and immobiliser on driver's seat
- Electric proportional braking
- 3-point seatbelt
- Circuit
- Central locking and sliding windows
- Low or high speed switch
- Handbrake with torque limiting sensor

Comfort & Visibility

- Adjustable comfortable seats
- Windscreen defrosting/demisting
- Wipers and washer system
- Cabin rear window
- LED running
- High-definition LCD colour display
- Rear fog light and reverse light
- 4-pole charging socket

HOMOLOGATION

Type of certification	N1 / L7e-CU
-----------------------	-------------

PERFORMANCE

Maximum speed	50 km/h
Towing (off road)	3,500 kg
Maximum slope (empty)	30 %
Maximum slope with maximum load	15 %

LOADS

Empty weight (with doors, without battery)	582 kg
Fully loaded weight	2,100 kg / 1,800 kg (Lithium) - 2,100 kg (Acid)
Maximum towing capacity on road (unbraked trailer)	750 kg / 285 kg
Maximum towing capacity on road (braked trailer)	1,000 kg / 285 kg

MAIN DIMENSIONS

Length	3,582 mm
Cabin width	1,200 mm
Height	1,893 mm
Clearance angle	20°
Turning radius	3,900 mm

TRANSMISSION

Type	Rigid axle with differential
Gear ratio	14.87:1

ENGINE

engine	AC induction / Asynchronous
Maximum torque	57 Nm
Nominal power	10 kW

BRAKES

Main braking system	X dual circuit braking system
Front brake diameter	247 mm
Rear drum diameter	230 mm

CONTROLLER

Manufacturer	Curtis
Nominal voltage	36-48V

SUSPENSIONS

Front suspension / suspension travel	McPherson / 163 mm
Rear suspension / suspension travel	Blades / 96 mm

ROAD TYRES

Type	Tubeless Radial Steel
Size	155R13C 90N
Recommended tyre pressure	3.5 bar

TURF TYRES

Type	Tubeless Radial Steel
Size	23x8,50-12 6 PR
Recommended tyre pressure	2.4 bar


TOWING BATTERIES

Technology	Lead-acid, 2V cell		
Capacity	8,6 kWh	11,5 kWh	15,4 kWh
Autonomy (R101 cycle)	61 km	73 km	91 km
Battery weight	325 kg	418 kg	492 kg

LITHIUM BATTERIES

Technology	Lithium LiFePo4	
Capacity	7,2 kWh	12 kWh
Autonomy (R101 cycle)	85 km	135 km
Battery weight	90 kg	132 kg

Warranty **2** years
Parts and Labor



SIZE (mm)

A	3,582	I	175
B	1,574	J	2,022
C	1,305	K	1,021
D	1,197	L	1,021
E	1,893	M	1,089
F	423	N	468
G	897	P	697
H	288	T	270

